Clin. Otolaryngol. 1990, **15**, 567–570

Author index to Volume 15

AARONSON N.K., see Hilgers F.J.M.
ACKERSTAFF A.H., see Hilgers F.J.M.
AHMED K., see Nigam A.
ALBERT D.M., see Kearns D.B.
ALBIZZATI C., see Mills R.P.
ALLEN S., see Watkinson J.C.
ALLWOOD M.C., see Nigam A.
ALUN-JONES T., see Endres D.
ALUN-JONES T., see Morrissey M.S.C.
ALUN-JONES T. The Fellowship Examination in Otolaryngology, 133
ALUN-JONES T., HILL J., LEIGHTON S.E.J. & MORRISSEY M.S.C. Is routine histological examination of nasal polyps justified? 217

BAATENBURG DE JONG R.J., RONGEN R.J., LAMÉR S J.S., KNEGT P. & VERWOERD C.D.A. Ultrasound-guided percutaneous drainage of deep neck abscesses, 159
BAER S., WILLIAMS H. & MCCOMBE A. Surgeon's Workshop: A model for instruction in myringotomy and grommet insertion, 383
BAGULEY D.M., see Gray R.F.
BAILEY C.M., see Kearns D.B.
BARNARD J.D.W., see Resouly A.
BARTON R.P., see Wickham M.H.
BATY J.D., see Osborne J.E.
BECKINGHAM E., see Wight R.G.
BEST J.J.K., see Smith I.M.
BEVAN I.S., see Bryan R.L.
BLEACH N.R., see Milford C.A.
BONDING P see Jensen J.H.
BOOTZ F. & MÜLLER G.H. Repair of salivary fistulae after laryngectomy, 299
BRADLEY P.J., see Wickham M.H.
BREDBERG G., see Engervall K.
BROCKBANK M.J., see Croft C.B.
BROWNING G.G., see Carlin W.V.
BROWNING G.G., see Gatehouse S.
BRUGÈRE M., see Cauvin J.M.
BRUNK U., see Tytor M.
BRYAN R.L., BEVAN I.S., CROCKER J. & YOUNG L.S. Detection of HPV 6 and 11 in tumours of the upper respiratory tract using the polymerase chain reaction, 177
BUCKLEY G.J., see Hinton A.E.
BUXTON P.K., see Smith I.M.

CARLIN W.V. & BROWNING G.G. Hearing disability and hearing aid benefit related to type of hearing impairment, 63
CARLSSON-NORDLANDER B., see Engervall K.
CARTER R.L. Review: Patterns and mechanisms of spread of squamous carcinomas of the oral cavity, 185
CAUVIN J.M., GUÉNEL P., LUCE D., BRUGÈRE M. & LECLERC A. Occupational exposure and head and neck carcinoma, 439
CHOA D.I., see Kearns D.B.
CHRISTMAS H.E., see Mills R.P.
CINNAMOND M.J. Advice to candidates sitting the Final Fellowship Examination, 335
CLARK L.J., see Laing M.R.
CLARKE S.E.M., see Watkinson J.C.
CLAYTON M.I., OSBORNE J.E., RUTHERFORD D. & RIVRON R.P. A double-blind, randomized, prospective trial of a topical antiseptic versus a topical antibiotic in the treatment of otorrhoea, 7
COADY M., see Watkinson J.C.
COOK J.A., MCRAE R.D.R., IRVING R.M. & DOWIE L.N. A randomized comparison of manipulation of the fractured nose under local and general anaesthesia, 343
CORRALL R.J.M., see Robinson P.J.
CROCKER J., see Bryan R.L.
CROFT C.B., BROCKBANK M.J., WRIGHT A. & SWANSTON A.R. Obstructive sleep apnoea in children undergoing routine tonsillectomy and adenoidectomy, 307
CROFT C.B., THOMSON H.G., SAMUELS M.P. & SOUTHALL D.P. Endoscopic evaluation and treatment of sleep-associated upper airway obstruction in infants and young children, 209

DALBY J.E., see Scott Durham J.
DAVIES J.E., JOHN D.G. & JONES M.J. Hearing aids for high-frequency hearing loss, 321
DAVIS A., see Marandas P.
DE JONGH R.H., see Devriese P.P.
DEMPSTER J.H., see Mackenzie K.
DEVRIESE P.P., SCHUMACHER T., SCHEIDE A., DE JONGH R.H. & HOUTKOOPER J.M. Incidence, prognosis and recovery of Bell's palsy. A survey of about 1000 patients (1974–1983), 15
DHARKAR D., see Marandas P.
DJERIĆ D.R., see Savić D.Lj.
DORMAN E.B., see Morton R.P.
DOWIE, L.N., see Cook J.A.
DRAKE-LEE A.B., see Nigam A.

ECCLES R., MORRIS S. & JAWAD M.S.M. The effects of menthol on reaction time and nasal sensation of airflow in subjects suffering from the common cold, 39

EKBERG O., see Lindgren S.
ELBRØND O., see Lindeberg H.
ENDRES D., ALUN-JONES T. & MORRISSEY M.S.C. The effectiveness of double-gloving in otolaryngology, 535
ENGERVALL K., CARLSSON-NORDLANDER B. & BREDBERG G. Central nervous system involvement in patients with facial palsy due to borrelial infection, 537
EVANS J.N.G., see Kearns D.B.
EVANS R.A., see Nunez D.A.

FRISÉN L., see Petruson B.

GATEHOUSE S. & BROWNING G.G. The output characteristics of an implanted bone conduction prosthesis, 503
GJURIC M. Microdrill versus perforator for stapedotomy, 411
GRAY R.F. & BAGULEY D.M. Electrical stimulation of the round window: a selection procedure for single-channel cochlear implantation, 29
GRAY R.F., see Nicolaides A.R.
GUÉNEL P., see Cauvin J.M.

HADLEY J., see Milford C.A.
HARIRI M.A. Sensorineural hearing loss in bullous myringitis. A prospective study of eighteen patients, 351
HERDMAN R.C.D. & WRIGHT J.L.W. Surgical treatment of obliterative otitis externa, 11
HIBBERT J., see Van Someren V.H.
HIBBERT J., see Watkinson J.C.
HILGERS F.J.M., ACKERSTAFF A.H., AARONSON N.K., SCHOUWENBURG P. F. & VAN ZANDWIJK N. Physical and psychosocial consequencies of total laryngectomy, 421
HILL J., see Alun-Jones T.
HILL J., see Morrissey M.S.C.
HINTON A.E. & BUCKLEY G.J. Blood loss and haematological consequences related to nasal surgery, 253
HOUTKOOPER J.M., see Devriese P.P.

IRVING R.M., see Cook J.A.

JAHNKE K., see Schrader M.
JAWAD M.S.M., see Eccles R.
JENSEN, J.H., LETH N. & BONDING P. Topical application of decongestant in dysfunction of the Eustachian tube: a randomized, double-blind, placebo-controlled trial, 197
JOHANSEN L., see Lindeberg H.
JOHN D.G., see Davies J.E.
JOHNSTON D., see Watkinson J.C.
JONATHAN D. The predictive value of Eustachian tube function (measured with sonotubometry) in the successful outcome of myringoplasty, 431
JONES A.S., see Wight R.G.
JONES M.J., see Davies J.E.
JONES N., see Watkinson J.C.

KARHUKETO T., see Pukander J.
KARMA P., see Pukander J.
KEARNS D.B., ALBERT D.M., CHOA D.I., WICKSTEAD M., BAILEY C.M. & EVANS J.N.G. Functional assessment of the paediatric laryngeal airway, 53
KEAY D.G., see Smith I.M.
KLINTENBERG C., see Tytor M.
KNEGT P., see Baatenburg de Jong R.J.
KRISTENSEN S., see Larsen K.
KYME M.C., see Van Someren V.H.

LAING M.R. & CLAKK L.J. Analgesia and removal of nasal packing, 339
LAITAKARI K. Intratympanic gentamycin in severe Ménière's disease, 545
LAMÉRIS J.S., see Baatenburg de Jong R.J.
LARSEN K. & KRISTENSEN S. Peak flow nasal patency indices and self-assessment in septoplasty, 327
LAWS D., see Watkinson J.C.
LAZARUS C.R., see Watkinson J.C.
LECLERC A., see Cauvin J.M.
LEDIN T., see Tytor M.
LEIGHTON S.E.J., see Alun-Jones T.
LERIDANT A.M., see Marandas P.
LETH N., see Jensen J.H.
LINDEBERG H. & ELBRØND O. Laryngeal papillomas: the epidemiology in a Danish subpopulation 1965–1984, 125
LINDEBERG H. & JOHANSEN L. The presence of human papilloma virus (HPV) in solitary adult laryngeal papillomas demonstrated by in-situ DNA hybridization with sulphonated probes, 367
LINDGREN S. & EKBERG O. Cricopharyngeal myotomy in the treatment of dysphagia, 221
LUCE D., see Cauvin J.M.
LUDMAN H. Review: The Specialist Advisory Committee-Training in Otolaryngology, 83

MACKENZIE K. & DEMPSTER J.H. External ear resonance in children with otitis media with effusion, 415
MAINS B., see Toner J.G.
MANNI J.J. & VAN DEN BROEK P. Surgical and prosthesis-related complications using the Groningen button voice prosthesis, 515
MARAN A.G.D. Informed consent in head and neck surgery, 293
MARANDAS P., DHARKAR D., DAVIS A., LERIDANT A.M., PACHECO OJEDA L., MICHEAU C., WIBAULT P. & SCHWAAB G. Malignant tumours of the parotid: a study of 76 patients, 103

MARTIN F.W., see Osborne J.E.
MASON S.M. & NARULA A.A. A non-invasive electrophysiological technique for the measurement of 'tuning', 43
MAW A.R., see Parker A.J.
MCCLYMONT L.G., see Nunez D.A.
MCCOMBE A., see Baer S.
MCRAE R.D.R., see Cook J.A.
MELLOW C.G., see Morton R.P.
MICHEAU C., see Marandas P.
MILFORD C.A., SUDDERICK R.M., BLEACH N.R., O'FLYNN P.E., MUGLISTON T.A. & HADLEY J. The influence of calcium alginate haemostatic swabs upon operative blood loss on adenotonsillectomy, 303
MILLS R.P. & CHRISTMAS H.E. Review: Applied comparative anatomy of the nasal turbinates, 553
MILLS R.P., ALBIZZATI C. & TODD A.S. Ear drops and grommets, 315
MORRIS S., see Eccles R.
MORRISON G.A.J., see Van Someren V.H.
MORRISSEY M.S.C., see Alun-Jones T.
MORRISSEY M.S.C., see Endres D.
MORRISSEY M.S.C., ALUN-JONES T. & HILL J. The relationship of peak inspiratory airflow to subjective airflow in the nose, 447
MORTON R.P., MELLOW C.G. & DORMAN E.B. Chest infection following head and neck surgery: a pilot study, 363
MUGLISTON T.A., see Milford C.A.
MURRAY J.A.M., see Smith I.M.
MURTY G.E. Review: Wegener's granulomatosis: otorhinolaryngological manifestations, 385
MÜLLER G.H., see Bootz F.

NARULA A.A., see Mason S.M.
NARULA A.A., see Wickham M.H.
NASH J., see Scott Durham J.
NICOLAIDES A.R. & GRAY R.F. Aural suction without vertigo, 137
NIGAM A. & ALLWOOD M.C. BIPP—How does it work? 173
NIGAM A., AHMED K. & DRAKE-LEE A.B. The value of preoperative estimation of haemoglobin in children undergoing tonsillectomy, 549
NUNEZ D.A., MCCLYMONT L.G. & EVANS R.A. Epistaxis: a study of the relationship with weather, 49

O'FLYNN P.E., see Milford C.A.
OLOFSSON J., see Tytor M.
OSBORNE J.E. & BATY J.D. Do patients with otitis externa produce biochemically different cerumen? 59
OSBORNE J.E. & MARTIN F.W. Surgeon's Workshop: Endaural meatoplasty for mastoid cavities, 453
OSBORNE J.E., see Clayton M.I.

PACHECO OJEDA L., see Marandas P.
PARKER A.J., MAW A.R. & POWELL J.E. Intra-tympanic membrane bleeding after grommet insertion and tympanosclerosis, 203
PENTTILÄ M., see Pukander J.
PERTOVAARA H., see Pukander J.
PETRUSON B. & FRISÉN L. Surgeon's Workshop: Decompression of the orbit using a lateral rhinotomy approach in patients with malignant endocrine exophthalmos, 181
POWELL J.E., see Parker A.J.
PUKANDER J., KARHUKETO T., PENTTILÄ M., PERTOVAARA H. & KARMA P. Radical surgery for lingual cancer, 229
PURNELL A.N., see Resouly A.

RACH G.H., see Zielhuis G.A.
RESOULY A., BARNARD J.D.W. & PURNELL A.N. Surgeon's Workshop: Access by Le Fort I osteotomy for correction of unilateral choanal atresia, 281
RIVRON R.P., see Clayton M.I.
ROBINSON P.J. & CORRALL R.J.M. The importance of distinguishing familial hypocalciuric hypercalcaemia from asymptomatic primary hyperparathyroidism prior to neck exploration, 141
RONGEN R.J., see Baatenburg de Jong R.J.
ROTHERY G., see Scott Durham J.
RUTHERFORD D., see Clayton M.I.

SAMUELS M.P., see Croft C.B.
SAVIĆ D.LJ. & DJERIĆ D.R. Indications for the surgical treatment of osteomas of the frontal and ethmoid sinuses, 397
SCHEIDE A., see Devriese P.P.
SCHOUWENBURG P.F., see Hilgers F.J.M.
SCHRADER M. & JAHNKE K. Vitreous carbon: a new material for middle ear ventilation tubes, 355
SCHUMACHER T., see Devriese P.P.
SCHWAAB G., see Marandas P.
SCOTT DURHAM J., NASH J., ROTHERY G., DALBY J.E. & STELL P.M. Anaplastic carcinoma presenting with cervical lymphadenopathy, 529
SELLAR R.J., see Smith I.M.
SHARP J.F. The ceratocricoid muscle, 257
SMITH I.M., KEAY D.G. & BUXTON P.K. Contact hypersensitivity in patients with chronic otitis externa, 155
SMITH I.M., TURNBULL L.W., SELLAR R.J., MURRAY J.A.M. & BEST J.J.K. A modified screening protocol for the diagnosis of acoustic neuromas, 167
SOUTHALL D.P., see Croft C.B.
STELL P.M. Prognosis in laryngeal carcinoma: tumour factors, 69
STELL P.M. Prognosis in laryngeal carcinomas: host factors, 111
STELL P.M., see Scott Durham J.

Stothers J.K., see Van Someren V.H.
Sudderick R.M., see Milford C.A.
Swanston A.R., see Croft C.B.

Thomson H.G., see Croft C.B.
Todd A.S., see Mills R.P.
Toner J.G. & Mains B. Pneumatic otoscopy and tympanometry in the detection of middle ear effusion, 121
Turnbull L.W., see Smith I M.
Tytor M., Olofsson J., Ledin T., Brunk U. & Klintenberg C. Squamous cell carcinoma of the oral cavity. A review of 176 cases with application of malignancy grading and DNA measurements, 235

Van den Bosch A., see Zielhuis G.A.
Van den Broek P., see Manni J.J.
Van den Broek P., see Zielhuis G.A.
Van Someren V.H., Hibbert J., Stothers J.K., Kyme M.C. & Morrison G.A.J. Identification of hypoxaemia in children having tonsillectomy and adenoidectomy, 263
Van Zandwijk N., see Hilgers F.J.M.
Verwoerd C.D.A., see Baatenburg de Jong R.J.

Watkinson J.C. Review: Nuclear medicine in otolaryngology, 457
Watkinson J.C., Johnston D., Jones N., Coady M., Laws D., Allen S. & Hibbert J. The reliability of palpation in the assessment of tumours, 405
Watkinson J.C., Allen S., Lazarus C.R., Laws D., Hibbert J. & Clarke S.E.M. Technetium-99m (v) dimercaptosuccinic acid: a clinical and scintigraphic study in an animal tumour model, 497
Watson C. Chronic otitis media: the significance of nasal obstruction, 435
Watson D.M.A. & Wilson J.A. Cyclic-AMP binding proteins in the head and neck, 427
Wibault P., see Marandas P.
Wickham M.H., Narula A.A., Barton R.P. & Bradley P.J. Emergency laryngectomy, 35
Wickstead M., see Kearns D.B.
Wight R.G., Jones A.S. & Beckingham E. Trimming of the inferior turbinates: a prospective long-term study, 347
Williams H., see Baer S.
Williams R.G. & Yardley M.P.J. Oral contraceptive therapy and the surgical management of ENT patients: a review of current clinical practice, 525
Wilson J.A., see Watson D.M.A.
Wright A., see Croft C.B.
Wright J.L.W., see Herdman R.C.D.

Yardley M.P.J., see Williams R.G.
Young L.S., see Bryan R.L.

Zielhuis G.A., Rach G.H. & Van den Broek P. The occurrence of otitis media with effusion in Dutch pre-school children, 147
Zielhuis G.A., Rach G.H., Van den Bosch A. & Van den Broek P. Review: The prevalence of otitis media with effusion: a critical review of the literature, 283

Clin Otolaryngol. 1990, **15**, 571–572

Subject index to Volume 15

Acoustic neuroma, 167, 375
Allergic rhinitis, 377
Aluminium acetate, 7
Anaplastic carcinoma, 529
Aural suction, 137

BSERA, 484
Bat ears, 485
Bell's palsy, 15
Blood loss, 253, 303
Blood transfusion, 279, 471
Body sway, 473
Borrelia, 537
Bullous myringitis, 351
BIPP, 173, 477
BPPV, 375

Calcium alginate swabs, 303
Ceratocricoid muscle, 257
Cerumen, 59
Chemotherapy, 193, 278, 374, 390, 472
Chest infection, 363
Choanal atresia, 281
Chronic otitis media, 435
Cigarette smoking, 478
Cochlear implants, 29
Common cold, 35
Congenital hearing loss, 376
Consent, 293
Contact hypersensitivity, 155
Cotinine, 275
Cricopharyngeal myotomy, 221
Cyclic AMP, 427

Decannulation, 53
Dysacusis, 475
Dysphagia, 221
DNA content, 235, 278, 279, 367, 476, 487

Electrocochleography, 43
Endolymphatic hydrops, 373, 473
Endoscopic sinus surgery, 377, 378
Epistaxis, 49, 94
Eustachian tube, 197, 431
Exophthalmos, 181
External ear resonance, 415

Facial paralysis, 15, 387, 537
Fatty acids, 59
Fine needle aspiration, 1, 380, 487
Flexible nasendoscope, 209
Fractured noses, 345
Free jejunal transfer, 299

Gd-MRI, 478
Gentamicin, 7, 545
Globus pharyngis, 478
Glossectomy, 277
Glottic carcinoma, 278
Grommets, 203, 315, 355, 383, 485
Groningen prosthesis, 277, 381, 515
G-forces, 375

Head and neck Ca, 35, 69, 185, 193, 229, 235, 275, 278, 379, 405, 427, 472
Hearing, 43, 351, 373, 379, 382, 483
Hearing aids, 63, 93, 321, 503
Hodgkin's lymphoma, 276
Human papillomavirus, 125, 177, 367
Hypercalcaemia, 141
Hypoxaemia, 263, 474

Implanted hearing aids, 503, 485
Inferior turbinates, 347, 388, 553
Intermediate filaments, 482
Intra-cranial abscess, 93
Iodine-123, 2, 457

Laryngeal cancer, 69, 111, 177, 274, 278, 279, 439
Laryngeal papillomas, 125, 177, 367
Laryngectomy, 35, 299, 382, 421, 471, 486
Laryngomanometer, 53
Lateral rhinotomy, 181
Le Fort osteotomy, 281
Lingual cancer, 229

Mastoid cavities, 453
Mastoid radiography, 395
Meatoplasty, 453
Medico-legal aspects, 293
Ménière's disease, 545
Menthol, 39
Middle ear effusion, 121, 147, 376, 386, 473
Mondini dysplasia, 99
Myringoplasty, 431

Nasal airflow, 327, 347, 377, 435, 447, 474
Nasal cycle, 482
Nasal decongestant, 197
Nasal packing, 339
Nasal polyps, 217, 481
Nasal sensation, 39, 447
Nasal surgery, 253, 327, 339, 343, 447, 471, 483
Nasal valve, 94
Nasopharyngeal carcinoma, 274
Neck abscesses, 159
Nuclear medicine, 457

Occupational exposure, 439
Olfaction, 289
Oncogenes, 479
Oral cavity carcinoma, 185, 235, 273, 276, 381, 439
Oral contraceptives, 525
Orbital decompression, 181
Osteogenesis imperfecta, 93, 485
Osteoma—sinus, 397
Osteosynthetic fixation, 273, 274, 280
Otitis externa, 11, 59, 155, 386
Otorrhoea, 7, 387
OME, 147, 203, 283, 376, 415, 481
OSA, 209, 263, 307, 475

Paediatric airways, 53, 380
Parotid tumours, 103
Perennial rhinitis, 472
Peritonsillar abscess, 94
Photodynamic therapy, 487
Pneumatic otoscopy, 121, 473
Pseudomonas, 7

Quality of life, 421

Round window stimulation, 29

Salivary fistula, 299
Salivary tumours, 273
Sleep apnoea, 209, 263, 307, 475
Solitary thyroid nodule, 1
Sonotubometry, 431
Squamous carcinoma, 59, 111, 229, 235, 273, 275
Stapedectomy, 411, 485
Steroids, 15
Stridor, 35
Subglottic stenosis, 378
Surgical gloves, 479, 535
SAC, 83

TNM status, 69, 111, 229, 235, 278, 380, 405
Technetium, 1, 457, 497
Thallium, 1, 459
Thyrotoxicosis, 181
Tinnitus, 477
Tonsillar carcinoma, 381
Tonsillectomy, 94, 263, 303, 307, 474, 549
Topical antibiotics, 7
Topical antiseptics, 7
Tracheostomy, 53
Training, 83, 133, 335
Tuning curves, 43
Tympanometry, 121, 376, 473
Tympanosclerosis, 203

Ultrasound, 1, 159

Vertigo, 137, 387
Vestibular testing, 374, 375
Vitreous carbon, 355
Voice production, 484

Weather, 49
Wegener's granulomatosis, 385

Zinc deficiency, 373